DEPARTMENT OF HEALTH AND HUMAN SERVICES CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 03/18/2014 FORM APPROVED OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	1 ' '	(X2) MULTIPLE CONSTRUCTION A. BUILDING		(X3) DATE SURVEY COMPLETED	
		15K046 B. WING				C 03/13/2014	
NAME OF PROVIDER OR SUPPLIER UNITED HOME HEALTHCARE INC				STREET ADDRESS, CITY, STATE, ZIP CODE 7212 N SHADELAND AVE STE 100 INDIANAPOLIS, IN 46250			13/2014
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)		ID PREFIX TAG	<	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETION DATE
G 000	INITIAL COMMENTS This visit was a Federal Home Health complaint investigation survey. Complaint number: IN00145300 - Substantiated: No deficiencies related to the allegations are cited. Survey dates: March 13, 2014 Facility number: 012120 Medicaid Vendor Number: 200944890		G	000			
	Surveyor: David Eric Moran, BSN, RN, Public Health Nurse Surveyor						
	United Home Healthcare is in compliance with the Conditions of Participation 42 CFR 484.10 and 484.36 as related to this complaint.						
	Quality Review: Joyce March 1	e Elder, MSN, BSN, RN 8, 2014					

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE (X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

Facility ID: 012120